



Cover image: From 'Optogenetic activation of the superior colliculus suppresses genetic absence seizures' by Campos-Rodriguez et al. Opsin expression localized to the deep and intermediate layers of the superior colliculus. Pp. 4320–35.

Contents

Editorial

Reducing the risks of nuclear war: the role of health professionals

K. Abbasi, P. Ali, V. Barbour, K. Bibbins-Domingo, M. G. M. Olde Rikkert, P. Gong, A. Haines, I. Helfand, R. Horton, B. Mash, A. Mitra, C. Monteiro, E. N. Naumova, E. J. Rubin, T. Ruff, P. Sahni, J. Tumwine, P. Yonga and C. Zielinski
3953

Essay

Capgras syndrome

A. Carson
3955

Scientific Commentaries

Distal hereditary motor neuropathy caused by coenzyme Q deficiency due to COQ7 variants

M. A. Desbats and L. Salviati
3958

Can immunological imprinting drive neurological dysfunction in long COVID?

D. L. Kolson
3960

Post-herpes simplex virus encephalitis autoimmunity: more the rule than the exception

F. Leyboldt and K.-P. Wandinger
3963

One transgene, two myopathies: an MTM1 'cross gene therapy' for BIN1 deficiency?

Z. Asgarian, A. Siam and J. R. Counsell
3966

Review Articles

The amyloid cascade hypothesis: an updated critical review

K. P. Kepp, N. K. Robakis, P. F. Høilund-Carlsen, S. L. Sensi and B. Vissel
3969

Clinical considerations in early-onset cerebral amyloid angiopathy

G. Banerjee, J. Collinge, N. C. Fox, T. Lashley, S. Mead, J. M. Schott, D. J. Werring and N. S. Ryan
3991



Update

The coming of age of liquid biopsy in neuro-oncology

G. Berzero, V. Pieri, P. Mortini, M. Filippi and G. Finocchiaro
4015

Reports

Post-transcriptional microRNA repression of PMP22 dose in severe Charcot-Marie-Tooth disease type 1

M. Pipis, S. Won, R. Poh, S. Efthymiou, J. M. Polke, M. Skorupinska, J. Blake, A. M. Rossor, J. J. Moran, P. Munot, F. Muntoni, M. Laura, J. Svaren and M. M. Reilly

4025

Gate control of sensory neurotransmission in peripheral ganglia by proprioceptive sensory neurons

A. M. Fuller, A. Luiz, N. Tian, M. Arcangeletti, F. Iseppon, J. E. Sexton, Q. Millet, S. Caxaria, N. Ketabi, P. Celik, J. N. Wood and S. Sikandar

4033

Original Articles

Tau protein spreads through functionally connected neurons in Alzheimer's disease: a combined MEG/PET study

D. N. Schoonhoven, E. M. Coomans, A. P. Millán, A. M. van Nifterick, D. Visser, R. Ossenkoppele, H. Tuncel, W. M. van der Flier, S. S. V. Golla, P. Scheltens, A. Hillebrand, B. N. M. van Berckel, C. J. Stam and A. A. Gouw

4040

C-terminal TMEM106B fragments in human brain correlate with disease-associated TMEM106B haplotypes

C. T. Vicente, J. Perneel, S. Wynants, B. Heeman, M. Van den Broeck, M. Baker, S. Cheung, J. Faura, I. R. A. Mackenzie and R. Rademakers

4055

Comprehension of acoustically degraded speech in Alzheimer's disease and primary progressive aphasia

J. Jiang, J. C. S. Johnson, M.-C. Requena-Komuro, E. Benhamou, H. Sivasathiseelan, A. Chokesuwattanaskul, A. Nelson, R. Nortley, R. S. Weil, A. Volkmer, C. R. Marshall, D.-E. Bamiou, J. D. Warren and C. J. D. Hardy

4065

Lysosomal polygenic risk is associated with the severity of neuropathology in Lewy body disease

J.-A. Tunold, M. M. X. Tan, S. Koga, H. Geut, A. J. M. Rozemuller, R. Valentino, H. Sekiya, N. B. Martin, M. G. Heckman, J. Bras, R. Guerreiro, D. W. Dickson, M. Toft, W. D. J. van de Berg, O. A. Ross and L. Pihlstrøm

4077

Abl kinase-mediated FUS Tyr526 phosphorylation alters nucleocytoplasmic FUS localization in FTLD-FUS

H. Motaln, U. Čerček, A. Yamoah, P. Tripathi, E. Aronica, A. Goswami and B. Rogelj

4088

Regional spreading pattern is associated with clinical phenotype in amyotrophic lateral sclerosis

A. Maranzano, F. Verde, E. Colombo, B. Poletti, A. Doretti, R. Bonetti, D. Gagliardi, M. Meneri, L. Maderna, S. Messina, S. Corti, C. Morelli, V. Silani and N. Ticozzi

4105

SARM1 deletion delays cerebellar but not spinal cord degeneration in an enhanced mouse model of SPG7 deficiency

C. Montoro-Gómez, H. Nolte, T. Molinié, G. Evangelista, S. E. Tröder, E. Barth, M. Popovic, A. Trifunovic, B. Zevnik, T. Langer and E. I. Rugarli

4117

Blood transcriptome sequencing identifies biomarkers able to track disease stages in spinocerebellar ataxia type 3

M. Raposo, J. Hübener-Schmid, A. F. Ferreira, A. R. Vieira Melo, J. Vasconcelos, P. Pires, T. Kay, H. Garcia-Moreno, P. Giunti, M. M. Santana, L. Pereira de Almeida, J. Infante, B. P. van de Warrenburg, J. J. de Vries, J. Faber, T. Klockgether, N. Casadei, J. Admard, L. Schöls, European Spinocerebellar ataxia type 3/Machado-Joseph disease Initiative (ESMI) study group, O. Riess and M. Lima

4132

GAA-FGF14 ataxia (SCA27B): phenotypic profile, natural history progression and 4-aminopyridine treatment response

C. Wilke, D. Pellerin, D. Mengel, A. Traschütz, M. C. Danzi, M.-J. Dicaire, M. Neumann, H. Lerche, B. Bender, H. Houlden, RFC1 study group, S. Züchner, L. Schöls, B. Brais and M. Synofzik

4144

MTM1 overexpression prevents and reverts BIN1-related centronuclear myopathy

Q. Giraud, C. Spiegelhalter, N. Messaddeq and J. Laporte

4158

Deep brain stimulation alleviates tics in Tourette syndrome via striatal dopamine transmission

A. E. Rusheen, J. Rojas-Cabrera, A. Goyal, H. Shin, J. Yuen, D.-P. Jang, K. E. Bennet, C. D. Blaha, K. H. Lee and Y. Oh

4174

Biallelic variants in COQ7 cause distal hereditary motor neuropathy with upper motor neuron signs

A. P. Rebelo, P. J. Tomaselli, J. Medina, Y. Wang, M. F. Dohrn, E. Nyvltova, M. C. Danzi, M. Garrett, S. E. Smith, A. Pestronk, C. Li, A. Ruiz, E. Jacobs, S. M. E. Feely, M. C. França Jr, M. V. Gomes, D. F. Santos, S. Kumar, D. B. Lombard, M. Saporta, S. Hekimi, A. Barrientos, C. Weihl, M. E. Shy, W. Marques and S. Zuchner

4191

Bi-allelic variants of FILIP1 cause congenital myopathy, dysmorphism and neurological defects

A. Roos, P. F. M. van der Ven, H. Alrohaif, H. Kölbl, L. Heil, A. Della Marina, J. Weis, M. Aßent, S. Beck-Wödl, R. Barresi, A. Töpf, K. O'Connor, A. Sickmann, N. Kohlschmidt, M. El Gizouli, N. Meyer, N. Daya, V. Grande, K. Bois, F. J. Kaiser, M. Vorgerd, C. Schröder, U. Schara-Schmidt, A. Gangfuss, T. Evangelista, L. Röbisch, A. Hentschel, A. Grüneboom, D. O. Fuerst, A. Kuechler, A. Tzschach, C. Depienne and H. Lochmüller

4200

Choroid plexus mis-splicing and altered cerebrospinal fluid composition in myotonic dystrophy type 1

C. A. Nutter, B. M. Kidd, H. A. Carter, J. I. Hamel, P. M. Mackie, N. Kumbkarni, M. L. Davenport, D. M. Tuyn, A. Gopinath, P. D. Creigh, Ł. J. Sznajder, E. T. Wang, L. P. W. Ranum, H. Khoshbouei, J. W. Day, J. B. Sampson, S. Prokop and M. S. Swanson

4217

The emerging spectrum of fetal acetylcholine receptor antibody-related disorders (FARAD)

N. M. Allen, M. O'Rahilly, B. Eymard, M. Chouchane, A. Hahn, G. Kearns, D.-S. Kim, S. Y. Byun, C.-T. E. Nguyen, U. Schara-Schmidt, H. Kölbl, A. D. Marina, C. Schneider-Gold, K. Roefke, A. Thieme, P. Van den Bergh, G. Avalos, R. Álvarez-Velasco, D. Natera-de Benito, M. H. M. Cheng, W. K. Chan, H. S. Wan, M. A. Thomas, L. Borch, J. Lauzon, C. Kornblum, J. Reimann, A. Mueller, T. Kuntzer, F. Norwood, S. Ramdas, L. W. Jacobson, X. Jie, M. A. Fernandez-Garcia, E. Wraige, M. Lim, J. P. Lin, K. G. Claeys, S. Aktas, M. Oskoui, Y. Hacohen, A. Masud, M. I. Leite, J. Palace, D. De Vivo, A. Vincent and H. Jungbluth

4233

Bumetanide induces post-traumatic microglia-interneuron contact to promote neurogenesis and recovery

M. Tessier, M. S. Garcia, E. Goubert, E. Blasco, A. Consumi, B. Dehapiot, L. Tian, F. Molinari, J. Laurin, F. Guillemot, C. A. Hübner, C. Pellegrino and C. Rivera

4247

The effects of cytomegalovirus on brain structure following sport-related concussion

J. Savitz, B. D. Goekner, B. N. Ford, T. Kent Teague, H. Zheng, J. Harezlak, R. Mannix, L. Tugan Muftuler, B. L. Brett, M. A. McCrea and T. B. Meier

4262

Peripheral CCL2-CCR2 signalling contributes to chronic headache-related sensitization

S. Ryu, X. Liu, T. Guo, Z. Guo, J. Zhang and Y.-Q. Cao

4274

Neurologic sequelae of COVID-19 are determined by immunologic imprinting from previous coronaviruses

M. Spatola, N. Nziza, W. Jung, Y. Deng, D. Yuan, A. Dinoto, S. Bozzetti, V. Chiodega, S. Ferrari, D. A. Lauffenburger, S. Mariotto and G. Alter

4292

Neurologic complications in herpes simplex encephalitis: clinical, immunological and genetic studies

T. Armangué, G. Olivé-Cirera, E. Martínez-Hernandez, M. Rodes, V. Peris-Sempere, M. Guasp, R. Ruiz, E. Palou, A. González, M. Á. Marcos, M. E. Erro, L. Bataller, Í. Corral-Corral, J. Planagumà, E. Caballero, A. Vlaga, J. Chen, P. Bastard, M. Materna, A. Marchal, L. Abel, A. Cobat, L. Alsina, C. Fortuny, A. Saiz, E. Mignot, A. Vanderver, J.-L. Casanova, S.-Y. Zhang and J. Dalmau, on behalf of the Spanish HSE study group

4306

Optogenetic stimulation of the superior colliculus suppresses genetic absence seizures

C. Campos-Rodriguez, D. Palmer and P. A. Forcelli

4320

Genetic analysis and natural history of Charcot-Marie-Tooth disease CMTX1 due to GJB1 variants

C. J. Record, M. Skorupinska, M. Laura, A. M. Rossor, D. Pareyson, C. Pisciotta, S. M. E. Feely, T. E. Lloyd, R. Horvath, R. Sadjadi, D. N. Herrmann, J. Li, D. Walk, S. W. Yum, R. A. Lewis, J. Day, J. Burns, R. S. Finkel, M. A. Saporta, S. Ramchandren, M. D. Weiss, G. Acsadi, V. Fridman, F. Muntoni, R. Poh, J. M. Polke, S. Zuchner, M. E. Shy, S. S. Scherer and M. M. Reilly, for the Inherited Neuropathies Consortium—Rare Disease Clinical Research Network

4336

Cdc42GAP deficiency contributes to the Alzheimer's disease phenotype

M. Zhu, B. Xiao, T. Xue, S. Qin, J. Ding, Y. Wu, Q. Tang, M. Huang, N. Zhao, Y. Ye, Y. Zhang, B. Zhang, J. Li, F. Guo, Y. Jiang, L. Zhang and L. Zhang

4350

Intracranial stimulation and EEG feature analysis reveal affective salience network specialization

B. A. Metzger, P. Kalva, M. M. Mocchi, B. Cui, J. A. Adkinson, Z. Wang, R. Mathura, K. Kanja, J. Gavvala, V. Krishnan, L. Lin, A. Maheshwari, B. Shofty, J. F. Magnotti, J. T. Willie, S. A. Sheth and K. R. Bijanki

4366

Glucocorticoid-driven mitochondrial damage stimulates Tau pathology

F. Du, Q. Yu, R. H. Swerdlow and C. L. Waites

4378

Book Review

Life event

A. J. Lees

4395

Letters to the Editor

Randomizing for Alzheimer's disease drug trials should consider the cancer history of participants

V. Das and M. Hajdúch

e75

A new diagnostic entity must enable earlier treatment in gene carriers

J. Swidler, T. Olson, A. L. Edelstein, J. Granning, C. Haddad, M. Uhrlaub and P. Wicks, on behalf of the Genetic ALS & FTD: End The Legacy Group

e77

Reply: A new diagnostic entity must enable earlier treatment in gene carriers

M. Benatar, A. Al-Chalabi, A. Crawley and J. Wu

e80

The correlation of behavioural deficits post-stroke: a trivial issue?

L. Pini, A. L. Bisogno, A. Salvalaggio, G. L. Shulman and M. Corbetta

e83

Reply: The correlation of behavioural deficits post-stroke: a trivial issue?

C. Sperber, L. Gallucci and R. Umarova

e86

Corrections

Correction to: Brain-derived tau: a novel blood-based biomarker for Alzheimer's disease-type neurodegeneration
e89

Correction: The most valuable player or the tombstone: is tau the correct target to treat Alzheimer's disease?
e91

Correction to: A *de novo* compound targeting α -synuclein improves deficits in models of Parkinson's disease
e92

Correction to: Establishing gene regulatory networks from Parkinson's disease risk loci
e94